

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	711	(calibration or training) (signal or input) and gain NEAR2 control and attenuat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/30 10:38
L5	624	(calibration or training) (signal or input) and gain NEAR2 control and attenuat\$ and compar\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/30 10:38
L6	605	(calibration or training) signal and gain NEAR2 control and attenuat\$ and compar\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/30 10:38
L7	543	(calibration or training) signal and gain control and attenuat\$ and compar\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/30 10:39
L8	76	(calibration or training) signal and gain control and attenuator and comparator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/30 10:39